



## ARIAL EXTLIFE SAE 5W-40 MF

лв. 12.45 - лв. 413.68 с ДДС



This all-round motor oil is recommended for use in petrol- and diesel engines, with or without turbo-charging, in passenger cars and delivery vans

**SKU:** 101012

**Categories:** [Engine oils for mixed fleets](#), [Engine oils for passenger cars](#)

## VARIATIONS

Image	SKU	Price	Stock Status	Stock Quantity	Description Liters
	AR007054060	лв. 413.68 с ДДС			60L
	AR007054041	лв. 12.45 с ДДС			1L

Image	SKU	Price	Stock Status	Stock Quantity	Description Liters
	AR007054020	лв. 53.46 с ДДС			5L

## PRODUCT DESCRIPTION

This motor oil is based on high quality solvent refined mineral and synthetic base oils. By adding a well balanced choice of additives the following properties are obtained:

- a high and stable viscosity index
- a fast cold start
- a strong resistance against oxidation
- a good detergency and dispersion
- a safe lubrication film at high temperatures
- a strong protection against wear, corrosion and foaming

### Application:

This all-round motor oil is recommended for use in petrol- and diesel engines, with or without turbo-charging, in passenger cars and delivery vans.

### Performance Level:

ACEA A3/B4

API SN/CF

MB 229.1

VW 501.01/505.00

### Typicals:

Density at 15 °C, kg/l: 0,852

Viscosity -30 °C, mPa.s: 5470

Viscosity 40 °C, mm<sup>2</sup>/s: 85,20

Viscosity 100 °C, mm<sup>2</sup>/s: 14,20

Viscosity Index: 172

Flash Point COC, °C: 220

Pour Point, °C: -39

Total Base Number, mgKOH/g: 10,2

Sulphate Ash, %: 1,26

**Packaging:**

	<b>litres</b>	<b>packing</b>	<b>per box</b>	<b>per pallet</b>
1		canister	12	*600
5		canister	4	*120
20		canister	-	24
60		barrel	-	9
208		barrel	-	4
1000		pallet tank	-	1

\*CP pallet size 114 x 114 cm. The number of boxes on a pallet may vary depending on the order.