



## ARIAL EXTLIFE SAE 10W-40 HC-L

лв. 11.48 - лв. 392.80 с ДДС



A universal motor oil, recommended for use in petrol- and diesel engines, with or without turbo-charging, in passenger cars and delivery vans

**SKU:** 101014

**Categories:** [Моторные масла для смешанных автопарков](#), [Моторные масла для легковых автомобилей](#)

## VARIATIONS




Image	SKU	Price	Stock Status	Stock Quantity	Description Liters
	AR002104020	лв. 11.48 с ДДС			1L
	AR002104040	лв. 50.76 с ДДС			5L

Image	SKU	Price	Stock Status	Stock Quantity	Description Liters
	AR002104060	лв. 392.80 с ДДС			60L

## PRODUCT DESCRIPTION

This universal motor oil is produced with special base oils that have a natural high viscosity index, to which additives are added to obtain the following properties:

- a high and stable viscosity index
- a fast cold start
- a strong resistance against oxidation
- a safe lubrication film at high temperature
- a good detergency and dispersion
- a strong protection against wear, corrosion and foaming

### Application:

A universal motor oil, recommended for use in petrol- and diesel engines, with or without turbo-charging, in passenger cars and delivery vans.

### Performance Level:

ACEA A3/B3, A3/B4-08

API SL/CF

MB 229.1

VW 501.01/505.00

### Typicals:

Density at 15 °C, kg/l: 0,870

Viscosity -25 °C, mPa.s: 6000

Viscosity 40 °C, mm<sup>2</sup>/s: 92,00

Viscosity 100 °C, mm<sup>2</sup>/s: 13,80

Viscosity Index: 153

Flash Point COC, °C: 232

Pour Point, °C: -39

Total Base Number, mgKOH/g: 8,3

Sulphate Ash, %: 1,08

**Packaging:**

	<b>litres</b>	<b>packing</b>	<b>per box</b>	<b>per pallet</b>
1		canister	12	*600
5		canister	4	*120
20		canister	-	24
60		barrel	-	9
208		barrel	-	4
1000		pallet tank	-	1

\*CP pallet size 114 x 114 cm. The number of boxes on a pallet may vary depending on the order.